

BLOCK - A				BLOCK - B											
Auditorium A1				Auditorium B1				Auditorium B5				Auditorium B9			
A	B	C	D	CS5433	BI5633	MT5043	MKT6023	CS5433	BI5633	MT5043	MKT6023	CS5433	ME5653	FING5023	EE6263
				MCS171011	DBS193001	DMT193001	MMS183024	MCS191038	MBS193016	MMT193022	MMS193044	MCS193021	MME191008	MBE193006	MEE193026
				MCS181003	DBS193002	DMT193002	MMS183028	MCS191039	MBS193017	MMT193040	MMS193046	MCS193022	MME193001	MBE193007	MEE193029
				MCS181005	MBS171002	DMT193004	MMS183030	MCS191041	MBS193018		MMS193047	MCS193023	MME193002	MBE193008	MEE193030
				MCS181022	MBS183001	DMT193005	MMS183031	MCS191042	MBS193019		MMS193049	MCS193024	MME193003	MMS191009	
				MCS181026	MBS191001	MMT163018	MMS183032	MCS191044	MBS193020		MMS193050	MCS193025	MME193004		MEE193034
				MCS181046	MBS191002	MMT171003	MMS191001	MCS191045	MBS193022		MMS193051	MCS193026	MME193008		
				MCS183018	MBS191003	MMT173004	MMS191002	MCS191046	MBS193023			MCS193027	MME193012		
				MCS183021	MBS191004	MMT173008	MMS191004	MCS191048	MBS193024			MCS193028			
				MCS183030		MMT173010		MCS191049				MCS193029			
				Sec 1	Sec 1	Sec 1	Sec 1	Sec 1	Sec 1	Sec 1	Sec 1	Sec 2	Sec 1	Sec 1	Sec 1
Auditorium A2				Auditorium B2				Auditorium B6				Auditorium B10			
A	B	C	D	CS5433	BI5633	MT5043	MKT6023	CS5433	BI5633	EE5613	EE6263	CS5433	MGT6033	C	D
				MCS183031	MBS191005	MMT173015	MMS191005	MCS191050	MBS193026	DEE183005	MEE161015	MCS193030	MMS173012		
				MCS183034	MBS191006	MMT173027	MMS191006	MCS191051	MBS193029	DEE191004	MEE161017	MCS193031	MMS173032		
				MCS183036	MBS191007	MMT181002	MMS191010	MCS191052	MBS193030	DEE193001	MEE171028	MCS193032	MMS181020		
				MCS183038	MBS191008	MMT181003	MMS191012	MCS171029	MBS193031	DEE193003	MEE173008	MCS193034	MMS183001		
				MCS183039	MBS191009	MMT181021	MMS191013	MCS181028		MEE171020	MEE181002	MCS193035	MMS183007		
				MCS183043	MBS191010	MMT183001	MMS191016	MCS183010	MBS193036	MEE173023	MEE181003	MCS193036	MMS183008		
				MCS183045	MBS191011	MMT183002	MMS191017	MCS183012	MBS193038	MEE173024	MEE181016	MCS193037	MMS183013		
				MCS183052	MBS191012	MMT183006	MMS191018	MCS191020		MEE173027	MEE181019	MCS193038	MMS183016		
0	0	0	0	MCS191001		MMT183007		MCS193001		MEE181013		MCS193039			
				Sec 1	Sec 1	Sec 1	Sec 1	Sec 1 & 2	Sec 1	Sec 1	Sec 1	Sec 2	Sec 1	0	0
Auditorium A1				Auditorium B3				Auditorium B7				Auditorium B11			
A	B	C	D	CS5433	BI5633	MT5043	MKT6023	CS5433	ME5653	EE5613	EE6263	CS5433	MGT6033	C	D
				MCS191002	MBS191013	MMT183008	MMS191025	MCS193002	DME193001	MEE181014	MEE183018	MCS193040	MMS183017		
				MCS191003	MBS191015	MMT183009	MMS191030	MCS193003	DME193002	MEE183001	MEE183019		MMS183020		
				MCS191004	MBS191016	MMT183012	MMS193008	MCS193004	DME193003		MEE191003	MCS193042	MMS183021		
				MCS191006	MBS191019	MMT183018	MMS193009	MCS193005	MEM183002		MEE191005	MCS193043	MMS183025		
				MCS191009	MBS191020	MMT183019	MMS193018	MCS193006	MEM183003		MEE191006	MCS193044	MMS183027		
				MCS191010	MBS191024	MMT183020	MMS193020	MCS193007	MEM183007		MEE193003	MCS193045	MMS183039		
				MCS191012	MBS191026	MMT183024	MMS193026	MCS193009	MEM183009		MEE193004	MCS193046	MMS183040		
				MCS191013	MBS193005	MMT191002	MMS193031	MCS193010	MEM183010		MEE193005	MCS193048	MMS183042		
				MCS191014		MMT191008		MCS193011							
				Sec 1	Sec 1	Sec 1	Sec 1	Sec 2	Sec 1	Sec 1	Sec 1	Sec 2	Sec 1	0	0
Auditorium A2				Auditorium B4				Auditorium B8				Auditorium B12			
A	B	C	D	CS5433	BI5633	MT5043	MKT6023	CS5433	ME5653	FING5023	EE6263	A	MGT6033	MGT6033	D
				MCS191016	MBS193006	MMT191010	MMS193033	MCS193012	MEM183012	MBAG183007	MEE193010		MMS183043	MMS191028	
				MCS191018	MBS193008	MMT191016	MMS193034	MCS193013	MME163013	MBAG191001	MEE193013		MMS183044	MMS191031	
				MCS191021	MBS193009	MMT191026	MMS193035	MCS193014	MME173002	MBAG191002	MEE193014		MMS183047	MMS191032	
				MCS191022	MBS193010	MMT191034	MMS193037	MCS193015	MME181009	MBAG191003	MEE193015		MMS183048		
				MCS191027	MBS193011	MMT193009	MMS193038	MCS193016	MME183004	MBAG191004	MEE193017		MMS183049		
				MCS191029	MBS193012	MMT193010	MMS193039	MCS193017	MME191001	MBAG191005	MEE193018		MMS183050		
				MCS191030	MBS193014	MMT193014	MMS193042	MCS193018	MME191004	MBAG191006	MEE193020		MMS191003		
0	0	0	0	MCS191031	MBS193015	MMT193016	MMS193043	MCS193019	MME191007	MBE193001	MEE193021		MMS191021		
				MCS191032		MMT193018		MCS193020		MBE193004					
				Sec 1	Sec 1	Sec 1	Sec 1	Sec 2	Sec 1	Sec 1	Sec 1	0	Sec 1	Sec 1	0

BLOCK - C								BLOCK - E							
Auditorium C1				Auditorium C5				Auditorium E1				Auditorium E5			
A	B	MGT6033	MGT6033	A	B	C	D	A	B	C	D	A	B	C	D
		MMS193001	MMS193027												
		MMS193003	MMS193030												
		MMS193004													
		MMS193005													
		MMS193006													
		MMS193017													
		MMS193021													
		MMS193024													
		MMS193025													
0	0	Sec 1	Sec 1	0	0	0	0	0	0	0	0	0	0	0	0
Auditorium C2				Auditorium C6				Auditorium E2				Auditorium E6			
CE6323	CE6323	CE6323	D	A	B	C	D	A	B	C	D	A	B	C	D
DCE191002	MCE191012	MCE193007													
DCE193003	MCE191016	MCE193009													
DCE193004	MCE191028														
MCE173019	MCE191031														
MCE183018	MCE193001														
MCE183050	MCE193003														
MCE183064	MCE193004														
MCE191001	MCE193005														
MCE191005															
Sec 1	Sec 1	Sec 1	0	0	0	0	0	0	0	0	0	0	0	0	0
Auditorium C3								Auditorium E3							
CE6323	CE6323	CE6323	D					A	B	C	D				
MCE193011	MCE193029	MCE193045													
MCE193013	MCE193032	MCE193048													
MCE193015	MCE193033														
MCE193017	MCE193034														
MCE193018	MCE193039														
MCE193021	MCE193040														
MCE193022	MCE193041														
MCE193023	MCE193044														
MCE193024															
Sec 1	Sec 1	Sec 1	0	0	0	0	0								
Auditorium C4								Auditorium E4							
A	B	C	D					A	B	C	D				
0	0	0	0	0	0	0	0								